

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	459	document adj models	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 08:24
L2	18	creat\$4 with (document adj models) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 08:24
L3	0	((creat\$4 with (document adj models)) same (object adj oriented)) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 08:25
L4	3	((creat\$4 with (document adj models)) and (object adj oriented)) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 08:26
L5	3	((creat\$4 with (document adj models)) and (object adj oriented) and persistent) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 09:06
L8	0	((creat\$4 with (document adj models)) and (consistent adj structure) and persistent) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 09:07
L9	0	((creat\$4 with (document adj models)) and (consistent adj structure)) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 09:07
L10	5	((creat\$4 with (document adj models)) and (consistent with structure)) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 09:15
L11	2	((creat\$4 with (document adj models)) and (data adj types) and (consistent with structure)) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 09:10

L12	2	(creat\$4 with (document adj models)) and (data adj types) and (consistent with structure) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 09:12
L13	2	(creat\$4 with (document adj models)) and (data adj type) and (consistent with structure) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 09:13
L14	5	(creat\$4 with (document adj models)) and (data with type) and (consistent with structure) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 09:12
L15	10	((creat\$4 same (document adj models)) and (consistent with structure)) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 09:16
L16	14	((creat\$4 same (document adj models)) and (consistent same structure)) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 09:41
L17	14	(((document adj models)) and (consistent same structure)) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 09:41
L18	14	(((document adj models)) and (consistent same data with structure)) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 09:41
L19	2	display same (brows\$4 adj card\$1) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 10:17
L20	11	display same (brows\$4 with card\$1) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 10:19
L21	181	display same (brows\$4 with (cards or pages)) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 10:36

L22	4	display same (brows\$4 adj (cards or pages)) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 10:20
L23	12	display same (brows\$4 with (cards or pages) with commands) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 10:20
L24	14067674	display same (brows\$4 with (cards or pages)) and (document with model) @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 10:37
L25	8	display same (brows\$4 with (cards or pages)) and (document with model) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 10:56
L26	2	"6134017".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 10:49
L27	10	display same (brows\$4 with (cards or pages)) and (document same model) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 10:58
L28	31	display same (brows\$4 same (cards or pages)) and (document same model) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 11:24
L29	3834	(cursor adj over)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 11:24
L30	772	(cursor adj over) and @ad < "19960621"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 11:25
L31	204	((cursor adj over) with display)and @ad < "19960621"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 11:25

L32	6	((cursor adj over) with display with automatic\$4) and @ad < "19960621"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 11:25
S1	0	("browseand@ad<20010626").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/17 08:23
S2	40340	brows\$4 and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:55
S3	906	(brows\$4 with card) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:56
S4	19	(brows\$4 adj card\$1) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 13:07
S5	0	(brows\$4 adj card\$1) same (command with button\$1) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 12:58
S6	0	(brows\$4 adj card\$1) same (command same button\$1) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 13:00
S7	0	(brows\$4 adj card\$1) same (command same button\$1) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 13:01
S8	6	(brows\$4 adj card\$1) and (command and button\$1) and @ad < "20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 13:01
S9	750	(brows\$4 and card\$1) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 13:08

S10	65	(brows\$4 with card\$1) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 16:39
S11	3	(brows\$4 adj card\$1) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 13:08
S12	0	715/526.ccls. and (brows\$4 with card\$1) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 16:40
S13	0	715/526.ccls. and (brows\$4 same card\$1) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 16:40
S14	12	715/526.ccls. and (brows\$4 and card\$1) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 16:40
S15	61416	brows\$3 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 16:41
S16	32111	brows\$3 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 16:41
S17	1122	brows\$3 same display and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 16:41
S18	739	brows\$3 with display and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 16:42
S19	20	(brows\$3 with display) same card\$1 and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 10:00

S20	83	(creat\$4 with document\$4 with models) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:24
S21	45	(creat\$4 near2 document\$4 with models) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:59
S22	21	(creat\$4 near2 document\$4 with object with models) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:25
S23	15	(creat\$4 near2 document\$4 near2 object with models) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:29
S24	10	(creat\$4 near2 document\$4 near2 object near2 models) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:27
S25	0	(creat\$4 near2 document\$4 near2 object near2 models) and brows\$4 and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:25
S26	2	(creat\$4 near2 document\$4 with object with models) and brows\$4 and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:57
S27	7	(creat\$4 adj document\$4 adj models) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:51
S28	5	("5752245" or "533312").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:44
S29	7	(creat\$4 adj (file or document\$4) adj models) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:52

S30	25	(creat\$4 with ((file or document\$4) adj models)) and @ad < "19960628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:52
S31	1	(creat\$4 near2 document\$4 with object with models) and brows\$4 and @ad < "19960628" and oriented	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:57
S32	1	(creat\$4 near2 document\$4 with object with models) and brows\$4 and @ad < "19960628" and (object adj oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:57
S33	1	(creat\$4 near2 document\$4 with object with models) and brows\$4 and @ad < "19960628" and (object adj oriented) and consistent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:58
S34	1	(creat\$4 near2 document\$4 with object with models) and brows\$4 and @ad < "19960628" and (object adj oriented) and consistent and structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:58
S35	10	(creat\$4 near2 document\$4 with models) and @ad < "19960628" and (object adj oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 19:01
S36	21	((creat\$4 with models) with document\$1) and @ad < "19960628" and (object adj oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 19:02